

Description	Spec	T	W	Size
C101 Copper Sheet (H02)	1/2 Hard	0.02	9.9375	12
C101 Copper Sheet		0.04	4	6
C101 Copper Sheet	ASTM-B152, Half Hard	0.005	6	COIL
C101 Copper Sheet		0.061	6	9.75
C101 Copper Sheet (H02)	1/2 Hard	0.062	9.9375	12
C101 Copper Sheet	ASTM-B-152	0.062	13.5	17
<hr/>				
C101 Plate H	ASTM-B152	0.625	0.625	11.375
<hr/>				
C102 Sheet	1/2 Hard, ASTM-B-152	0.032	19.375	36
C102 Sheet	ANN	0.04	3.5	12.25
<hr/>				
C110 Coil Sheet	1/2 Hard, ASTM-B15297A	0.002	12	coil
C110 Coil Sheet		0.004	5	coil
C110 Coil Sheet		0.004	5.687	coil
C110 Coil Sheet		0.005	5.5	coil
C110 Coil Sheet	H00, 1/8 Hard	0.005	12	coil
C110 Coil Sheet	Soft Ann. ASTM-B-152	0.005	12	COIL
C110 Coil Sheet	Soft Ann. ASTM-B-152	0.005	12	51
C110 Coil Sheet	1/2 Hard ASTM-B152	0.005	0.125	4800
C110 Coil Sheet	ASTM-B152	0.01	12	coil
C110 Coil 1/2 Hard Sheet	ASTM-B152-06	0.01	12.8	coil
C110 Coil Sheet	1/2 Hard	0.015	2.125	coil
C110 Coil Sheet	ASTM-B152, Half Hard	0.016	12	61.75
C110 Sheet	ASTM B-152B	0.025	5.4375	coil
C110 Coil Sheet	ASTM-B152B	0.0315	4	COIL
C110 Sheet CR 1/8 Hard	ASTM B-152B-00	0.032	12	12
C110 Sheet CR 1/8 Hard	ASTM B-152B-00	0.032	4	12
C110 Sheet CR 1/8 Hard H02	ASTM-B152B	0.04	4.25	42

C110 Sheet	ASTM B-152B-00	0.045	6.75	129
C110 Sheet	ASTM-B-152 Soft , Anld	0.0485	11.875	12
C110 Sheet	ASTM-B-152 Soft , Anld	0.0485	12	12
C110 Sheet CR 1/8 Hard	ASTM-B-152	0.125	22	24
C110 Sheet	ASTM-B-152	0.1875	28	37

C172 Sheet	ASTM-B-19492A 1/2 Hard	0.01	11.75	15.75
C172 Sheet	ASTM-B194	0.01	0.5	300
C172 Sheet Temper TD02	ASTM-B194	0.01	12	12
C172 Sheet	ASTM-B194	0.015	6	48
C172 Sheet	ASTM-B194	0.016	6.4375	263
C172 Sheet	ASTM-B194	0.02	4.5	17
C172 Sheet	ASTM-B194	0.02	10.875	24
C 17200 TD02	ASTM-B194	0.025	9.5	33
C172 Sheet	ASTM-B194	0.32	6.625	17

C260 Sheet H02	ASTM-B36 1/2 Hard	0.005	12	96.875
C260 Coil Sheet	70/30 Copper	0.006	12	coil
C260 Coil Sheet	ASTM-B36 1/2 Hard 70/30	0.006	12.875	coil
C260 Sheet	ASTM-B36 1/2 Hard	0.032	12	22.625
C260 Sheet	ASTM-B-36	0.04	36	71.75
C260 Sheet	ASTM-B36 1/2 Hard	0.063	24	93.375
C260 Sheet	ASTM-B-36	0.125	11.75	18
C260 Sheet	ASTM-B-36	0.125	17.5	36
C260 Sheet	ASTM-B-36	0.125	12	17.75
C260 Sheet	ASTM-B-36	0.125	12	17.875
C260 Sheet	ASTM-B-36	0.125	11.25	23
C260 Sheet	ASTM-B-36	0.125	4.5	12

C260 Sheet	ASTM-B-36	0.125	5.625	36
C260 Sheet	ASTM-B-36	0.125	11.375	18
C260 Sheet	ASTM-B-36	0.125	11.5	18
C260 Sheet	ASTM-B-36	0.125	11.75	18
C260 Sheet	ASTM-B-36	0.125	11.625	36
C260 Sheet	ASTM-B-36	0.125	36	65.875

CU 2M Copper Sheet cold rolled	ASTM-B-370	0.021	36	47.875
--------------------------------	------------	-------	----	--------

C464 Naval Brass Sheet	ASTM-B-171	0.04	12	23.75
C464 Naval Brass Sheet	ASTM-B-171	0.09	8	9

510 Coil Sheet	Tempered Spring	0.004	3.5	coil
510 Coil Sheet	GR-A	0.005	4.925	coil
510 PHOS BRONZE	ASTM-B-103 SPRING	0.006	0.187	1824"
510 grade A	ASTMB-103	0.006	0.187	420"
C5100 grade A	ASTMB-103	0.01	12	47
CA510 3/4 Hard Grade A Bronze	ASTMB-103	0.015	12.1875	96

Brass Laminated Shim		0.063	24	35.75
----------------------	--	-------	----	-------

70/30 Cu/Ni coil sheet	ASTM-B122 MIL-C-15726F	0.016	12.875	Coil
70/30 71500 PLATE	MIL-C-15726F	2.25		8.750DIA
70/30 C71500 M20-Hard	Mil-C-15726F	3	thk	9.5"dia

C70600 90/10 soft	Mil-C-15726F	0.125	23.912	48
-------------------	--------------	-------	--------	----

C 11000 Plate	ASTM-B-152	3	6	6
---------------	------------	---	---	---



CDA 954 Rectangle Plate

ASTM-B505-09

1.5

1.5

12