

	Description	Spec		Size	Qty	
X	C101 Copper Sheet (coil)	1/2 Hard	0.017	12	61.75	3.8
X	C101 Copper Sheet (H02)	1/2 Hard	0.02	9.9375	12	7.7
X	C101 Copper Sheet	Soft ANN	0.02	12	12	1.7
	C101 Copper Sheet		0.02	32	36	6.9
	C101 Copper Sheet		0.04	4	6	0.3
X	C101 Copper Sheet	ASTM-B152, Half Hard	0.005	6	COIL	1
	C101 Copper Sheet		0.061	6	9.75	1.1
X	C101 Copper Sheet (H02)	1/2 Hard	0.062	9.9375	12	2.3
	C101 Plate	ASTM-B152	2	4.125	5.75	28.3
					x	
	C102 Sheet	1/2 Hard	0.02	9	36	5.8
X	C102 Sheet	1/2 Hard, ASTM-B-152	0.032	7.875	12	0.9
X	C102 Sheet	ANN	0.04	3.5	12	1
	C110 Coil Sheet	1/2 Hard, ASTM-B15297A	0.002	12	coil	0.0
	C110 Coil Sheet		0.004	5	coil	0.0
	C110 Coil Sheet		0.004	5.687	coil	0.0
	C110 Coil Sheet		0.005	5.5	coil	0.0
	C110 Coil Sheet	H00, 1/8 Hard	0.005	12	coil	0.0
X	C110 Coil Sheet	Soft Ann. ASTM-B-152	0.005	12	COIL	1
X	C110 Coil Sheet	Soft Ann. ASTM-B-152	0.005	12	51"	1
	C110 Coil Sheet	1/2 Hard ASTM-B152	0.005	0.125	4800	2.7
	C110 Sheet	1/2 Hard	0.008	18	18	3.1
	C110 Coil Sheet	ASTM-B152	0.01	12	coil	0.0
	C110 Coil Sheet	1/2 Hard	0.015	2.125	coil	0.0
X	C110 Sheet	ASTM B-152B-00	0.024	5.25	8	0.3
X	C110 Sheet	ASTM B-152B	0.025	5.4375	coil	0.0
X	C110 Coil Sheet	ASTM-B152B	0.0315	4	COIL	1
	C110 Sheet	ASTM B-152B-00	0.032	36	46.75	16.0

X	C110 Sheet	CR 1/8 Hard	0.032	13.75	33	1	4.3
X	C110 Sheet	ASTM B-152B-00	0.032	12	12	3	4.1
X	C110 Sheet	ASTM B-152B-00	0.04	6.5	35.75	1	2.8
X	C110 SHT COIL	1/2 Hard	0.04	1	124	1	1.6
X	C110 Sheet	ASTM B-152B-00	0.04	15.25	22	1	4.0
X	C110 Sheet	ASTM B-152B-00	0.045	6.75	129	1	11.7
X	C110 Sheet	ASTM-B-152 Soft , Anld	0.0485	11.875	12	1	2.1
X	C110 Sheet	ASTM-B-152 Soft , Anld	0.0485	11.875	12	1	2.1
X	C110 Sheet	ASTM-B-152 Soft , Anld	0.0485	12	12	2	4.2
X	C110 Sht CR 1/8 H	ASTM-B-152	0.125	20	20	1	16.1
X	C110 Sht CR 1/8 H	ASTM-B-152	0.125	22	24	1	21.3
	C110 Coil Sheet	Annealed	0.135	1.625	coil	1	0.0
X	C110 Sheet	ASTM-B-152	0.1875	36	37.125	1	74.7
<hr/>							
X	C110 Plate 1/2 Hard	ASTM-B-152	2.5	2.75	9.875	1	21.9
<hr/>							
	C172 Sheet	ASTM-B-19492A 1/2 Hard	0.01	12	12	4	1.7
X	C172 Sheet	ASTM-B194	0.01	0.5	300	3	1.3
X	C172 Sheet	ASTM-B-194	0.015	6	48	3	3.9
	C172 Sheet	ASTM-B194	0.016	6.4375	263	1	8.1
X	C172 Sheet	ASTM-B194	0.02	4	17	1	0.4
X	C172 Sheet	ASTM-B194	0.02	11	7	1	0.5
X	C172 Sheet	ASTM-B194	0.32	6.625	17	1	10.7
	C172 Sheet	ASTMB194-01	0.063	8	25.25	1	3.8
<hr/>							
	C260 Coil Sheet	70/30 Copper	0.006	12	coil	1	0.0
	C260 Coil Sheet	ASTM-B36 1/2 Hard 70/30	0.006	12.875	coil	1	0.0
	C260 Sheet	ASTM-B36 1/2 Hard 70/30	0.01	6	60	4	4.3
	C260 Sheet	1/2 Hard	0.032	12	36	1	4.1
	C260 Sheet	1/2 Hard	0.04	12	24	1	3.4
X	C260 Sheet	ASTM-B36 1/2 Hard	0.063	24	93.375	1	43.4

X	C260 Sheet	ASTM-B-36	0.125	36	83.75	1	112.3
X	C260 Sheet	ASTM-B-36	0.125	12	17.875	1	8.0
<hr/>							
	C260 Plate	Cold Rolled	0.5	1.5	1.5	5	1.7
<hr/>							
	C464 Naval Brass Sheet	ASTM-B-171	0.04	12	24	1	3.4
	C464 Naval Brass Sheet	ASTM-B-171	0.09	10	12	1	3.2
	C464 Naval Brass Sheet	ASTM-B-171	0.09	8	9	1	1.9
<hr/>							
	510 Coil Sheet	GR-A	0.005	4.925	coil	1	1.0
	510 PHOS BRONZE	ASTM-B-103 SPRING	0.006	0.187	1824"	1	1.0
X	510 grade A	ASTM-B-103	0.006	0.187	420"	1	1.0
X	C5100 Phospor Bronze	ASTM-B-103	0.006	0.1875	600	1	3-Lbs
	510 Coil Sheet	Tempered Spring	0.04	3.5	coil	1	0.0
X	510 Sheet	ASTM B-103, 08 Temper	0.125	12	35.375	1	15.8
X	C5100 grade A	ASTM b 103	0.01	12	47	1	1.7
<hr/>							
	C540 Sheet		0.025	9.5	34	1	2.4
<hr/>							
	Brass Laminated Shim		0.063	12	24	2	10.8
<hr/>							
	Oil Impregnated Bronze		0.25	6	6	1	2.7
<hr/>							
X	70/30 Cu/Ni coil sheet	ASTM-B122 MIL-C-15726F	0.016	12.875	Coil	1	0.0
	70/30 71500 PLATE	MIL-C-15726F	2.25		8.750DIA	1	15
<hr/>							
X	C70600 90/10 soft	Mil-C-15726F	0.125	23.912	48	1	42.8
<hr/>							
X	C 11000 Plate	ASTM-B-152	3	6	6	1	34.8

