

## Bar

X	A193 GR B16	ASTM-A-193-08	2		67	1	68.4
	1018 Sq. Bar	ASTM-A-108	0.75	0.75	24	1	3.9
	1018 CR Sq. Bar	ASTM-A-108	1	1	6.75	1	1.9
	1018 Flat Bar	ASTM-A-108	0.125	3	96.125	1	10.3
	1018 Flat Bar	ASTM-A-108	0.25	0.75	62	1	3.3
X	1018 Flat Bar	ASTM-A-108	0.25	1.5	144	2	30.9
X	1018 Flat Bar	ASTM-A-108	0.25	2	48	2	13.7
X	1018 Flat Bar	ASTM-A-108	0.25	1.5	23.75	1	2.5
	1018 Flat Bar	ASTM-A-108	0.25	2.75	71.75	1	14.1
	1018 Flat Bar	ASTM-A-108	0.25	3.5	27.75	3	20.8
	1018 Flat Bar	ASTM-A-108	0.25	3.5	38.875	1	9.7
	1018 Flat Bar	ASTM-A-108	0.25	3.5	25.625	1	6.4
	1018 Flat Bar	ASTM-A-108	0.25	4	48	1	13.7
	1018 Flat Bar	ASTM-A-108	0.25	4	26.875	2	15.4
	1018 Flat Bar	ASTM-A-108	0.25	4	88	1	25.2
	1018 Flat Bar	ASTM-A-108	0.25	4	83.75	1	24.0
X	1018 Flat Bar	ASTM-A-108	0.5	2	144	1	41.2
	1018 Flat Bar	ASTM-A-108	0.5	8	17.625	1	20.2
	1018 Flat Bar	ASTM-A-108	0.625	1.5	22.25	1	6.0
	1018 Flat Bar	ASTM-A-108	0.625	1.5	24.375	1	6.5
	1018 Flat Bar	ASTM-A-108	0.625	1.5	50.25	1	13.5
X	1018 Flat Bar	ASTM-A-108	0.75	2	4.5	1	1.9
	1018 Flat Bar	ASTM-A-108	1	3	21.75	1	18.7
X	1018 Rd. Bar	ASTM-A-108	0.25		227.625	1	3.6
X	1018 Rd. Bar	ASTM-A-108	0.375		144	1	4.5
	1018 Rd. Bar	ASTM-A-108	0.375		210	7	46.7
X	1018 Rd. Bar	ASTM-A-108	0.5		115.912	1	7.4
X	1018 Rd. Bar	ASTM-A-108	1		12	1	3.1
	1018 Rd. Bar	ASTM-A-108	1		23.5	2	12.0
X	1018 Rd. Bar	ASTM-A-108	1		147	1	37.5

	1018 Rd. Bar	ASTM-A-108	1.5		62.75	1	36.0
	1018 Rd. Bar	ASTM-A-108	1.75		39.75	1	31.1
X	1018 RD BAR	ASTM-A108	2		47.75	1	43.1
X	1018 Rd. Bar	ASTM-A-108	2		111.5	1	113.8
X	1018 Rd. Bar	ASTM-A-108	2		113.9375	1	116.3
	1018 Rd. Bar	ASTM-A-108	2		33.25	1	33.9
	1018 Rd. Bar	ASTM-A576	8.125		17.875	1	301.1
	<hr/>						
X	1018 Hex. Bar	ASTM-A-108	0.1875		144	9	
X	1018 Hex. Bar	ASTM-A-108	0.1875		95.5	1	
	1018 Hex. Bar	ASTM-A-108	1.75		25.75	1	20.1
	<hr/>						
X	1045 rect Bar	ASTM-A108	1	3	144	34	4200.8
X	1045 RD BAR	ASTM-A-108	0.5		240	3	40.6
X	1045 Rd Bar	ASTM-A108	1.38		12	1	5.8
	1045 Rd. Bar	ASTM-A576	1.5		35.875	1	20.6
	1045 Rd Bar	ASTM-A108	1.5		84.75	2	97.3
X	1045 RD BAR	A108-03E1	3"		35.875	1	72.9
	<hr/>						
	17L17 Hex. Bar		0.9375		144	1	32.3
	<hr/>						
	1070 Rd Bar		0.75		217	7	218.0
	1070 Rd. Bar		1.5		240	20	2755.8
	1070 rd. bar		1.9375		35.25	1	33.8
	1070 Rd. Bar		2		268.75	21	5760.5
	<hr/>						
	1095 Rd. Bar	ASTM-A29	0.625		84	1	8.4
	1095 Rd. Bar	ASTM-A29	0.625		120	3	35.9
X	1095 flat. Bar	ASTM-A29	0.25	2	144	12	247.1

X	AISI 1035 SQ BAR	ASTM-A-108	0.5	0.5	144	804	7385.6
X	1137 RD BAR		6.5		220.5	1	2104
X	C-1144	ASTM108-07	2		33.625	1	34.3
X	GR 1144 RD BAR	ASTM-A311-04	1.5		131"	1	66.5
	1215 Rd. Bar	ASTM-108	1.062		144	1	41.4
	1215 Rd. Bar		1.125		73	1	23.6
	1410 Rd. Bar	AMS-6527	6		36.5	1	335.3
X	52100 Rd. Bar		1.5		24	1	13.8
	52100 Rd. Bar		4.125		55.125	1	239.3
X	A36 RD BAR	ASTM-A36	0.375		239	1	7.5
	A36 Rd. Bar	HR	0.375		35.5	1	1.3
	A36 Rd. Bar	ASTM-A36	0.5		60	2	7.7
X	A36 Rd. Bar	ASTM-A36	1.5		120	1	68.9
	A36 Rd. Bar	ASTM-A36	2.5		8.375	1	13.4

	A36 Rect. Bar		3.75	7.125	66.5	1	508.2
X	AH36 Rect. Bar	clu am-2	4	5	20	2	228.8
	AH36 Rect. Bar	ASME-98	1.5	1.5	65.75	1	42.3
X	A36 Flat Bar	ASTM-A36	0.19	2	193.75	1	21.1
	A36 Flat Bar		0.25	5	5	9	16.1
	AH36 Flat Bar		0.5	2	121	5	173.0
	A36 Flat Bar	ASTM-A36	0.5	2	22.125	1	6.3
	AH36 FLAT BAR	MIL-S-22698	0.1875	1.5	122	1	9.8
	Carbon Steel Rd. Bar		2		121	1	123.5
X	1045 steel chrome plated		1.5		84	1	48.2
X	HY-80 Bar	MIL-S-21952D	1.5		79	1	45.4
X	HY-80 Bar	MIL-S-21952D	1.5		66.5	1	38.2
X	Hy-100 NORM	MIL-S-21952D	3		8.75	1	18
	Hy-100	MIL-S21952	5.5		3.5	1	27.0